## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.




### WHOLESALE TRADE-LIST

OF

# Pinehurst Nurseries

OTTO KATZENSTEIN MANAGER

PINEHURST, Moore County, NORTH CAROLINA



NORTH CAROLINA

### Woody and Herbaceous Plants

### and Other Ornamentals

\*\*\*

NOTE REDUCED PRICES ON OUR COLLECTED STOCK AND SEE THIRD COVER PAGE FOR COLLECTED STOCK IN LARGEST QUANTITIES.

WE FUMIGATE ALL STOCK WITH HYDROCYANIC ACID BEFORE PACKING.

### PLEASE NOTE.

Our FREIGHT AND EXPRESS OFFICES are at Pinehurst, N. C., on the A. & A. Railway, which connects with both the Southern and the Seaboard Air Line Railways.

TERMS: Cash or satisfactory reference from unknown correspondents. We allow a discount of 5 per cent. for cash with orders or for remittances within fifteen days from date of invoice. All accounts will be due (and subject to draft) sixty days from date of invoice, where no special arrangements have been made. Remit by express or postoffice money order, registered letter, bank-draft or check.

**REDUCTIONS:** 5 plants at 10-rates; 50 plants at 100-rates; 500 at 1,000-rates; 5,000 at 10,000-rates. Packing and boxing charged at cost.

SHIPPING DIRECTIONS: Precise directions as to kind of conveyance (mail, express, freight) and route are desired, or we shall ship at our own discretion. All goods travel at risk of consignee.

SHIPPING SEASON: We ship shrubbery all winter to May with hardly any interruption. We have built a storage cellar lately, and hope to be able now to take care of late orders as well. We advise, however, to send all orders as early as convenient, and we shall hold them as long as ever practicable if desired by consignee.

COLLECTED SHRUBBERY: Besides our nursery-grown stock, we ship very large quantities of collected shrubbery annually in solid carloads to many of the largest parks, and have a well-trained force who handle the plants with every care. We ship well-developed plants, with good roots, that have not been exposed to the weather, and pack in damp moss. If not specially instructed, we prune the tops of most collected shrubs to save freight.

HERBACEOUS PLANTS: Quite a number of perennials we have now in nursery rows, while others will have to be collected on order. Some kinds can be identified only when in bloom. Orders on such will be filled in due season. We can collect very large quantities of most of our native perennials at very special prices and solicit correspondence from all interested.

Our DESCRIPTIVE AND ILLUSTRATED CATA-LOGUE OF AMERICAN SEEDS and our LIST OF RARE ARIZONA SEEDS will be gladly sent upon request.

An exchange of catalogs, seed-lists, botanical lists, etc., is desired.

THIS LIST CANCELS ALL PREVIOUS QUOTATIONS.

JAMES W. TUFTS, OTTO KATZENSTEIN,
Boston, Mass. Manager.

#### North Carolina Commission for Controlling Crop Pests, RALEIGH.

CERTIFICATE OF EXAMINATION OF NURSERY STOCK.

To Whom it may Concern:

This is to certify that on October 15th, 1900, the nursery grounds of PINEHURST NURSERIES, PINEHURST, N. C., were inspected; that the growing stock was apparently free from any pests designated as dangerous by this Commission, and was otherwise healthy.

This Certificate expires September 1st, 1901, and applies only to stock grown in the aforesaid nurseoise.

only to stock grown in the aforesaid nurseries.

FRANKLIN SHERMAN, JR., Bo'anist and Entomologist.

Approved for the Commission: S. L. Patterson, Chairman.

No. 42

### Woody Plants.

Col., collected plants. S, seedlings. C, cuttings. All others are

| nursery grown and transplanted.                     |                        |      |       |      |       |
|---|------------------------|------|-------|------|-------|
|   | Size                   | Each | 10    | 100  | 1000  |
| ABIES ARIZONICA                                     |                        |      |       |      |       |
| ARGENTEA  | _9-18"                 | 3.00 | 27.50 |      |       |
| " fraseri   | 6-12"                  | .25  | 1.50  | 4.00 |       |
| Acer dasycarpum                                     | 1-2′ S.                | .10  | .50   | 1.75 | 8.00  |
| " rubrum  | . 2-3/                 | .15  | 1.00  | 4.00 | 30.00 |
| Red Maple.  | 3-5'                   | .25  | 1.50  | 6.00 |       |
|   | 2-4' col.              |      | .40   | 1.50 | 8.00  |
| Aesculus rubicunda<br>Red-flowering Horse Chestnut. | 12-15"                 | .20  | 1.00  | 5.00 |       |
| Akebia quinata                                      | 3-6" C.                | .10  | .50   | 3.00 | 25.00 |
|   | 1-2'                   | .15  | .75   | 5.00 | 35.00 |
|   | 2-4'                   | .25  | 1.00  | 7.00 | 50.00 |
| Albizzia julibrissin                                | 2-5'                   | .15  | .75   | 3.50 |       |
| Mimosa.   | 5-8'                   | .20  | 1.00  | 6.00 |       |
| Amorpha fruticosa                                   | $_{-}1\frac{1}{2}$ -3' | .25  |       |      |       |
| Ampelopsis engelmanni_<br>Engelmann's Virgs         |                        | .20  | 1.00  | 6.00 |       |
| " quinquefolia                                      | _1-3′                  | .15  | 1.00  | 5.00 |       |
| Andromeda mariana                                   | 6-9"                   | .25  | 2.00  | 6.00 |       |
| Staggerbush.  | 1-3′ col.              |      | .75   | 3.00 | 10.00 |
| " nitida  | 1-2'                   | .25  | 2.00  | 6.50 |       |
| Fetter bush.  | 1-3' col.              |      | .75   | 3.00 | 10.00 |
| Aralia pentaphylla                                  |                        | .25  | 2.00  |      |       |
| " spinosa   |                        | .25  | 2.00  |      |       |
| Azalea nudiflora                                    | 9-12"                  | .20  | 1.75  |      |       |
|   | 2-3' col.              |      | .70   | 3.50 |       |
| " vaseyi  | 6-12"                  | .25  | 1.00  | 9.00 |       |

Note reduced prices for collected plants.

Berberis thunbergi \_\_\_\_\_9-12" \_\_\_\_.15\_1.00\_6.00

Groundsel.

Baccharis halimifolia

.30 2.00 15.00

|   | Size              | Each | 10          | 100                 | 1000  |
|---|-------------------|------|-------------|---------------------|-------|
| Bignonia capreolata                         | 1-2'              | .15  | 1.20        | 8.00                |       |
| Crossvine.                                  | 2-3'              | .25  | 1.50        |                     |       |
|   | 2-3' col.         |      | .75         | 3.00                | 20.00 |
|   | .2-3′             | .15  | 1.00        |                     |       |
| Trumpetvine.                                | 2-3' col.         |      | .75         | 3.00                | 20.00 |
| Broussonetia papyrifera_<br>Paper Mulberry. | _2-5′             | .25  | 1.25        | 6.00                |       |
| Buxus suffruticosa<br>Boxbush.              | 5-9″              | .10  | .80         | 3.50                | 20.00 |
|   | 2-3'              | .15  | 1.00        | 4.00                |       |
| French Mulberry.                            | 2-3′ col.         |      | .75         | 3.00                | 10.00 |
| Calycanthus laevigatus  Spice Shrub.        | 1-3′              | .25  | 1.00        |                     |       |
| Castanea pumila                             | $1-2\frac{1}{2}'$ | .25  | 2.00        | 5.00                |       |
| Chinquapin.                                 | 2-3′ col.         |      | .50         | 2.00                | 12.00 |
| Ceanothus americanus                        | 1-2'              | .15  | 2.00        |                     |       |
| New Jersey Tea.                             | 1-2′ col.         |      | .75         | 2.50                | 10.00 |
| Cedrus deodara                              | _2-3′             | .35  | 3.00        |                     |       |
| Deodar Cedar.                               | 3-4'              | .45  | 4.00        |                     |       |
| Celastrus punctatus                         | _3-4′             | .25  | 2.00        |                     |       |
|   | 1-3′              | .20  | 1.00        | 4.00                | 25.00 |
| Redbud.                                     | 3-5'              | .25  | 1.50        | 7.00                |       |
| We have a splendid stock of young Cercis.   | 6-8'              | .35  | 2.50        |                     |       |
|   | 1-2' col.         |      | .60         | 2.00                | 10.00 |
|   | 2-4' col.         |      | .75         | 2.50                | 12.00 |
| Chamaecyparis thuyoider White Cedar.        |                   | .25  | 1.50        | 6.00                |       |
|   | 2-3′ col.         |      | .75         | 3.00                | 15.00 |
| Chionanthus virginica<br>White Fringe.      |                   | .25  | 1.25        | 8.00                |       |
|   | 1-3′ col.         |      | .75         | 4.50                | 17.50 |
| Citrus trifoliata                           | _1-3′             | .25  | 1.50        |                     |       |
| Clematis crispa                             | _clumps           | .35  | 2.50        | 10.00               |       |
| Blue Jessamine.                             | strg. col.        | .20  | 1.00        | 5.00                | 40.00 |
| " paniculata                                |                   | .40  | 3.00        | 20.00               |       |
| Clethra alnifolia                           |                   | .20  | .75         | 3.00                |       |
| Sweet Pepperbush.                           | 2-3'              | .25  | 1.00        | 3.50                |       |
|   | 2-3' col.         |      | .75         | 2.00                | 10.00 |
| Cliftonia ligustrina Ironwood.              | _1-2'             | .15  | 1.00        | 5.00                |       |
| Tronicious.                                 | 2-4'              | .25  | 1.50        | 7.50                | 10.00 |
| (3 - (1 - 1)                                | 2-3' col.         | .10  | .75         | 3.00                | 12.00 |
| Cornus florida<br>Flowering Dogwood.        | _12-18"           | .10  | .75         | 4.50                |       |
|   | 18-24"            | .15  | 1.00 $1.50$ | $\frac{5.00}{7.00}$ |       |
|   | 24-36"<br>3-5'    | .30  | 2.00        | 18.00               |       |
|   | 3-3' col.         | . 50 | .50         | 2.00                | 10.00 |
|   | 3-5' col.         |      | .75         | 3.50                | 12.00 |
| Cotoneaster microphylla                     |                   | .10  | .75         | 3.00                | 12.00 |
| Evergreen Cotoneaster.                      | 1-3'              | .35  | 2.50        | 15.00               |       |
| Crataegus dentata                           |                   | .50  | 3.00        |                     |       |
| " glabra                                    | _1-2'             | .50  | 3.00        |                     |       |
| Cupressus lawsoniana                        |                   | .30  | 2.50        | 12.00               |       |
| Lawson's Cypress.                           | 3-4'              | .35  | 3.00        | 15.00               |       |

|                                     | Size                      | Each  | 10    | 100                 | 1000  |
|-------------------------------------|---------------------------|-------|-------|---------------------|-------|
| Cydonia japonica Japanese Quince.   | _2-3′                     | .25   | 2.00  | 8.00                |       |
| Deutzia crenata<br>Double Deutzia.  | _1-3′                     | .20   | 1.25  | 5.00                | 1.    |
| " gracilis<br>Graceful Deutzia.     | $_{-}1$ - $1\frac{1}{2}'$ | .25   | 1.25  | 5.00                |       |
| "Pride of Rochester."               | _1-2′                     | .25   | 1.25  | 5.00                | - 1   |
| Direa palustris                     |                           | .15   | .60   | 3.00                |       |
| Leatherwood.                        | 10-18" col                |       | .50   | 1.75                | 10.00 |
| Evonymus americana                  | 9-18//                    | .15   | 1.00  | 3.00                | 20100 |
| Strawberrybush.                     | 2-3/ col                  | . 1.7 | .75   | 2.00                | 12.00 |
| " japonica                          |                           | .15   | .60   | $\frac{2.00}{3.00}$ | 12.00 |
| Japanese Spindle Tree.              | 1-2'                      | .25   | 1.50  | 5.00                |       |
|                                     |                           |       |       | 5.00                |       |
| obovata                             |                           | .25   | 1.25  | 1.00                | 20.00 |
| radicans                            |                           | .15   | .60   | 4.00                | 30.00 |
| 101. var.                           |                           | 15    | .60   | 4.00                |       |
| Fothergilla alnifolia               |                           | .25   | 2.00  |                     |       |
|                                     | 2-0 COL.                  |       | 1.50  | 5.00                | 30.00 |
| Gardenia florida<br>Cape Jessamine. | _9-18″                    | .25   | 1.25  | 8.00                |       |
| Gelsemium sempervirens              | _1-2′                     | .15   | .60   | 5.00                | 25.00 |
| Yellow Jessamine.                   | 2-3'                      | .20   | .80   | 7.00                | 32.50 |
| We can supply in largest            | 3-5/                      | .25   | 1.25  | 8.00                |       |
| quantities.                         | heavy col                 |       | .75   | 4.00                | 15.00 |
|                                     | light col.                | •     | .40   | 1.50                | 6.50  |
| Genista juncea                      |                           | .25   | 1.00  | 8.00                | 0,00  |
| Spanish Broom.                      | 3-4/                      | .30   | 1.25  | 9.00                |       |
| 11 waannin                          |                           | .25   | 1.00  | 3.50                |       |
| " scoparia<br>Scotch Broom.         | 12-2-1                    |       |       |                     |       |
|                                     |                           | .40   | 2.50  | 12.00               |       |
| Woodwaxen.                          |                           | .15   | 1.00  | 8.00                |       |
| Gingko biloba<br>Maidenhair Tree.   | _12-15″                   | .15   | 1.00  | 4.00                |       |
| Gordonia lasianthus                 | _2-4′                     | 1.20  | 10.00 |                     |       |
| Loblolly Bay.                       | 3-5′ col.                 | .50   | 3.00  | 18.00               |       |
| Hamamelis virginica<br>Witchhazel.  | _1-2′                     | .15   | 1.00  | 6.00                |       |
| Hedera helix                        | $_{-}1-2'$                | .20   | 1.25  | 5.00                |       |
| Hibiscus syriacus                   | _18-30″                   | .25   | 1.50  | 5.00                |       |
| " fol. var.                         | _12-18"                   | .30   | 2.50  | 8.00                |       |
| Hydrangea quercifolia               | _1-2′                     | .50   | 4.50  |                     |       |
| " radiata                           |                           | .15   | 1.00  |                     |       |
| Hypericum moserianum                |                           | .20   | 1.00  | 4.00                |       |
| P X                                 | _2-3′                     | .25   | 1.50  | 8.00                |       |
| PR 13 CC 117                        | 2-4' col.                 | .20   | .75   | 4.00                | 12.00 |
|                                     | _9-18"                    | .20   | 1.25  | 9.00                | 14,00 |
| " glabra                            | 2-4' col.                 | .20   |       |                     | 10.00 |
| **                                  |                           | 15    | .75   | 4.00                | 12.00 |
| opaca                               | _6-12"                    | .15   | 1.25  | 10.00               |       |
|                                     | 12-24"                    | .30   | 2.50  | 20.00               |       |
|                                     | 2-3'                      | .40   | 3.50  | 0.00                | NO 06 |
|                                     | 1-3′ col.                 |       | 1.25  | 6.00                | 30.00 |

|  | Size              | Each | 10          | 100            | 1000  |
|--|-------------------|------|-------------|----------------|-------|
| Ilex opaca   | _3-5′ col.        |      | 2.00        | 8.00           | 40.00 |
| " verticillata   | _2-4′             | .25  | 2.00        | 10.00          |       |
| Deciduous Holly,   | 2-4' col.         |      | .75         | 4.00           | 15.00 |
| Itea virginica   | _6-15"            | .20  | 1.00        | 7.50           |       |
| Jasminum nudiflorum  | _9-12" C.         |      | .50         | 2.50           | 17.50 |
| Yellow Jasmine.  | 1-3'              | .20  | 1.00        | 5.00           | 22.50 |
| ~  | 3-5'              | .30  | 1.50        | 10.00          | 45.00 |
| Juniperus virginiana<br>Red Cedar.   |                   | .10  | .80         |                |       |
| Title Court.   | 2-3'              | .20  | 1.25        |                |       |
|  | 3-6′<br>1-2′ col. | .45  | 3.50        | 5.00           | 20.00 |
|  | 2-4' col.         |      | .75<br>1.00 | 5.00 $6.00$    | 20.00 |
| Kalmia latifolia   | _9-12"            | .15  | 1.00        | 5.00           | 30.00 |
| Mountain Laurel.   | 2-3' col.         | .15  | 1.00        | 5.00           | 30.00 |
| Lagerstroemia indica   |                   | .25  | 1.75        | 0.00           | 50.00 |
| Crape Myrtle.  | _1 0              | .20  | 1.10        |                |       |
| We have some very fine<br>specimens, recently trans-<br>planted. Prices and sizes<br>on application. |                   |      |             |                |       |
|  | _1-3′             | .40  | 3.50        |                |       |
| Leiophyllum buxifolium   |                   | .25  | 1.50        | 8.00           |       |
| prostratum Leucothoe catesbaei   |                   | .25  | 1.20        | 0.00           |       |
| Ledeonioe carespaci  | 2-4' col.         | .20  | .75         | 3.00           | 12.00 |
| Ligustrum chinense   |                   |      | •••         | 0.00           | 12.00 |
| nanum<br>Chinese Privet.   | _6-12"            | .10  | .50         | 2.00           | 9.00  |
| We can supply this privet  | 1-2'              | .10  | .75         | 3.00           | 15.00 |
| in very large lots and can<br>recommend it very highly.  | 2-3'<br>3-5'      | .20  | 1.00 $1.50$ | $4.00 \\ 6.00$ | 20.00 |
| Ligustrum japonicum  | _1-2'             | .15  | 1.25        | 4.00           |       |
| " obtusifolium_  |                   | .20  | 1.50        |                |       |
| " ovalifolium  | _9-12"            | .10  | .50         | 2.00           | 10.00 |
| Californian Privet.  | 1-2'              | .15  | .75         | 3.00           | 15.00 |
|  | 2-3'              | .20  | 1.00        | 4.00           | 20.00 |
| " regelianum   | _2-3′             | .20  | 1.50        | 8.00           |       |
| Liquidambar styraciflua<br>Sweet Gum.  |                   | .15  | 1.00        | 6.00           |       |
|  | 2-5' col.         |      | .75         | 3.00           | 10.00 |
| Liriodendron tulipifera_<br>Tulip Tree,  |                   | .15  | 1.00        | 5.00           |       |
| Lonicera brachypoda  | 2-5' col.         |      | .50         | 1.50           | 8.00  |
| halleana   | _9-18" C.         |      | .50         | 2.00           | 10.00 |
| ${\it J}$ apanese ${\it Honeysuckle}$ .  | 2-3'              | .20  | .75         | 5.00           |       |
|  | 3-5'              | .30  | 2.00        | 8.00           |       |
| . " aureo-reticulata   | _2-3′             | .20  | 1.00        | 4.00           |       |
| Golden Honeysuckle.  | 3-5'              | .30  | 2.00        | 6.00           |       |
| " chinensis  | _1-2′             | .10  | .60         | 4.00           |       |
| Chinese Honeysuckle.   | 2-4'              | .20  | .75         | 6.00           |       |
| " semperflorens _ Woodbine.  |                   | .10  | .75         | 5.00           | 40    |
|  | 2-3' col.         | ~~   | .60         | 3.00           | 12.00 |
| Maclura aurantiaca<br>Osage Orange.  | _3-4′             | .25  | 1.25        | 8.00           |       |

|            |                                | Size                | Each | 10          | 100                 | 1000          |
|------------|--------------------------------|---------------------|------|-------------|---------------------|---------------|
| Magnalia   | acuminata                      |                     | .20  | 1.25        | 10.00               | 1000          |
| magnona    | Cucumber Tree.                 | 1-2' col.           | .20  | .75         | 3.00                | 12.00         |
| "          | glauca                         |                     |      | .50         | 2.50                | 15.00         |
|            | Sweet Bay.                     | 9-18"               | .25  |             | 10.00               | 20.00         |
|            |                                | 2-3' col.           |      | 1.00        | 5.00                | 30.00         |
|            |                                | 3-5′ col.           |      | 1.50        | 7.00                | 35.00         |
| 4.6        | grandiflora                    |                     | .25  | 2.00        | 10.00               |               |
|            |                                | 1-2'                | .50  | 4.50        | 40.00               |               |
|            |                                | 2-3'                | .75  | 7.00        |                     |               |
| Mahonia    | aquifolium<br>Asheberry.       | _1-3′               | .25  | 1.50        | 9.00                |               |
| Melia aze  | derach                         |                     | .20  | 1.00        | 4.00                |               |
|            | Pride of China.                | 4-10'               | .35  | 2.00        | 6.00                |               |
|            | derach umbracu                 |                     | 10   |             | 0.00                | 1-2-00        |
| 18         | aeformis<br>Texas Umbrella.    | _9-15″ S.<br>_2-3′  | .10  | .75         | 3.00                | 12.00         |
| Manian an  |                                |                     | .25  | 1.25 $1.00$ | 1.00                |               |
| Myrica ce  | Bayberry.                      | _1-2'<br>2-3'       | .15  | 1.00 $1.25$ | 4.00                |               |
|            |                                |                     | .20  |             | 5.00                | 19.00         |
| 66 701     | mila                           | 2-3' col.           | .25  | .75<br>1.75 | $\frac{3.00}{9.00}$ | 12.00         |
| pι         | ımila<br>Dwarf Myrtle.         | _9-18″<br>1-3′ col. | ,20  | 1.79 $1.00$ | 5.00                | 10.00         |
| Nyssa syl  |                                | _2-3' col.          | .10  | .75         | 4.00                | 18.00 $12.00$ |
| nyssa syr  | Tupelo.                        | 3-5' col.           | .15  | 1.00        | 5.00                | 15.00         |
| Olea ama   |                                | _1-2'               | .50  | 1.00        | 5.00                | 10.00         |
|            | rum arboreum_                  |                     | .15  | 1.50        | 7.00                |               |
| Oxydendi   | Sourwood.                      | 3-5/                | .25  | 2.25        | 7.00                |               |
| Parsag eg  | rolinensis                     |                     | .20  |             | 10.00               |               |
| Terrea (a  | Red Bay.                       | 2-3'                | .30  | 2.50        | 10.00               |               |
|            |                                | 2-3' col.           | .,,0 | 1.00        | 6.00                |               |
| Philadelp  | hus coronarius                 |                     | .20  | 1.00        | 5.00                |               |
| Phillyraea | a laurifolia                   | _18-24"             | .40  | 3.50        |                     |               |
| Pinus aus  | tralis (in pots)               | _6-12"              | .25  | 2.00        | 15.00               |               |
|            | root pruned Long-leaf Pine.    |                     | .50  | 3.00        | 25.00               |               |
| " exc      | elsa<br>Botan Pine.            | _2-3′               | .50  | 4.00        | 30.00               |               |
| " lari     | cio corsica<br>Corsican Pine.  | _2-3′               | .50  | 4.00        | 30.00               |               |
| " mit      | is                             | _9-12"              | .25  | 2.00        | 15.00               |               |
|            | root pruned Short-leaf Pine.   | _1-2′               | .50  | 3.00        | 25.00               |               |
| " tae      | da                             | _9-12"              | .25  |             | 15.00               |               |
|            | root pruned<br>Old Field Pine. |                     | .50  |             | 25.00               |               |
| Platanus   | occidentalis                   |                     | .25  | 1.20        | 8.00                |               |
|            | Sycamore.                      | 5-8'                | .35  |             | 10.00               |               |
|            |                                | 8-12'               | .50  | 3.00        |                     |               |
|            | orientalis                     |                     | .20  | 1.50        | 8.00                |               |
| Prunus ca  | roliniana<br>Mock Cherry.      |                     | .15  | .65         | 3.50                | 18.00         |
|            | моск спетту.                   | 2-4'                | .25  | 1.00        | 6.00                |               |
|            |                                | 2-4′ col.           |      | 1.00        | 5.00                | 30.00         |
| Pyrus arb  |                                | _2-4′               | .25  | 1.00        | 4.50                |               |
|            | Red Chokeberry.                | 2-4′ col.           |      | .75         | 3.00                | 15.00         |

|  | Size        | Each | 10   | 10    | 1000   |
|--|-------------|------|------|-------|--------|
| Quercus alba                               | _6-9"       | .10  | .60  | 2.00  | 15.00  |
| " laurifolia                               |             | .25  | 1.25 | 8.00  | 50.00  |
| Laurel Oak.                                | 3-5'        | .50  | 4.00 | 30.00 |        |
|  | 3-6′ col.   | .25  | 2.25 | 20.00 |        |
|  | _1-2′       | .20  | 1.00 | 4.00  | 25.00  |
| Mountain Chestnut Oak.                     | 2-4'        | .30  | 2.00 | 6.00  | 35.00  |
|  | _2-3′       | .35  | 3.00 | 10.00 |        |
| $Live\ Oak.$                               | 2-6′ col.   | .25  | 2.00 | 15.00 | 125.00 |
|  | _1-2'       | .20  | 1.00 |       |        |
| Bristly Locust.                            | 1-2′ col.   | .10  | .60  | 3.00  | 15.00  |
| " hispida rosea                            | _1-2′ col.  | .10  | .60  | 3.00  | 15.00  |
| Rosa bracteata                             |             | .25  | 1.25 | 3.00  | 20.00  |
|  | 3-6'        | .35  | 2.00 | 6.00  | 45.00  |
| " carolina<br>Wild Rose.                   | _1-3′       | .10  | .75  | 6.00  | 45.00  |
|  | 1-37        | .25  | 1.00 | 3.00  |        |
| " laevigata<br>Cherokee Rose.              | 3-6'        | .35  | 2.00 | 5.00  |        |
| " lucida                                   |             | .15  | .75  | 4.00  | 30.00  |
|  |             | .20  | 1.25 | 5.00  | 00,00  |
| " wichuraiana<br>Memorial Rose.            | 3-5/        | .35  | 2.50 | 12.00 |        |
| " Hybrids,                                 | 4-6'        | .50  | 4.00 |       |        |
| Roses H. P. in fine variety                |             | .25  | 2.00 | 12.00 |        |
| " Climbing                                 |             | .25  | 1.50 | 6.00  |        |
| Crimson Rambler                            | 1-3'        | .25  | 1.75 | 8.00  |        |
| Empress of China, etc.                     | 3-6'        | .45  | 2.50 | 12.00 |        |
| Rubus hispidus                             | _1-2'       | .15  | .50  | 3.00  | 12.00  |
| Ruta graveolens                            |             | .15  | .75  | 3.00  |        |
| Salix pendula                              | _4-6′       | .35  | 3.50 |       |        |
| Santolina chamaecyparis                    | ş-          |      |      |       |        |
| susclumps,                                 |             | .15  | .85  | 5.00  |        |
|  | clps. 9-15" |      | 1.20 | 7.00  |        |
| Sassafras officinale                       |             | .25  | 1.25 | 6.00  |        |
|  | 3-5'        | .35  | 1.75 | 7.50  |        |
|  | 5-10'       | .60  | 5.00 | 0.00  | 10.00  |
| C:1 1:6-1:-                                | 2-3' col.   | 7 =  | .60  | 3.00  | 12.00  |
| Smilax laurifolia<br>Evergreen Briar.      |             | .15  | 1.00 | 3.00  | 12.00  |
| Red-fruited Briar.                         |             | .15  | 1.00 | 3.00  | 12.00  |
| Spiraea Anthony Watere                     |             | .25  | 1.50 | 10.00 |        |
| " thunbergi<br>Thunberg's Meadow Sweet.    |             | .10  | .75  | 3.00  |        |
|  | 1-3'        | .25  | 2.00 | 5.00  |        |
| Stuartia pentagyna                         |             | .25  | 1.50 | 6.00  |        |
| Symphoricarpos vulgaris<br>Indian Currant. |             | .20  | 1.50 | 3.00  |        |
| Syringa, named varieties                   |             | .25  | 1.50 |       |        |
| Tamarix africana                           |             | .35  | 3.00 | 10.00 |        |
| Taxodium distichum                         |             | .30  |      | 18.00 | 10.00  |
|  | 2-3' col.   | 10   | .80  | 3.00  | 16.00  |
| Tilia americana<br>Basswood.               |             | .10  | .75  | 3.00  | E 00   |
| 25.00.00                                   | 9-12" col.  |      | .40  | 1.25  | 5.00   |

|   | Size           | Each | 10     | 100   | 1000  |
|---|----------------|------|--------|-------|-------|
| Tilia americana                                   | _1-3′ col.     |      | .50    | 1.50  | 6.00  |
| Thuya occ. pyramidalis_<br>Pyramidal Arbor Vitae. | _1-2′          | .25  | 1.50   | 8.00  |       |
| Pyramidal Arbor Vitae.                            | 2-3'           | .35  | 2.50   | 10.00 |       |
| Tsuga canadensis                                  | _1-2′          | .15  | .75    | 4.00  | 35.00 |
| Ulmus alata                                       | _1-3′          | .25  | 2.00   |       | 100   |
| $Wahoo\ Elm.$                                     | 3-6'           | .40  | 3.50   |       |       |
|   | 2-4′ col.      |      | .75    | 3.00  | 20.00 |
| Vaccinium crassifolium_                           | _strg. clps.   | 20   | 1.25   | 6.00  |       |
|   | col.           |      | .60    | 2.50  | 15.00 |
| Viburnum nudum                                    | _1-3′          | .20  | 1.20   | 4.50  | 35.00 |
| $Possum\ Haw.$                                    | 3-57           | .30  | 1.75   | 6.50  |       |
|   | 2-4' col.      |      | .60    | 2.00  | 10.00 |
| " prunifolium .                                   | _9-12"         | .20  | 1.25   | 5.00  |       |
| Black Haw,  | 2-3' col.      |      | 1.00   | 4.00  | 15.00 |
| Vinca major                                       |                | .10  | .75    | 2.50  | 8.00  |
| " minor<br>Periwinkle.                            | - "            | .10  | .75    | 2.50  | 8.00  |
| Vitis rotundifolia<br>Muscadine.                  | _strg. col.    | .10  | .60    | 3.00  | ,     |
| Wistaria chinensis                                | _heavy         | .30  | 2.50   |       | 1.5   |
| Yucca aloifolia                                   | _1-2′          | .30  | 2.50   |       | . *   |
| $Spanish\ Bayonet.$                               | 2-3'           | .40  | 3.50   |       |       |
|   | 3-5'           | .75  | to 1.5 | 60    | - J   |
| " angustifolia                                    | $_{ m strong}$ | .25  | 2.00   |       | - J.  |
| " filamentosa                                     |                | .10  | .50    | 2.00  | 10.00 |
| Adam's $Needle$ .                                 | heavy          | .20  | .75    | 3.00  | 18.00 |
|   | extra          | .30  | 2.50   |       |       |
| " bicolor   | strong         | .50  | 4.00   |       |       |
| Xanthorrhiza apiifolia                            |                | .20  | 1.00   | 4.00  |       |
| $Y \widehat{e} llow \ Root.$                      | light col.     |      | .60    | 2.00  | 8.00  |
|   | heavy col      | l.   | .75    | 2.50  | 10.00 |
| Scuppernong vines                                 | _heavy         | .25  | 1.50   | 9.00  |       |

### CORDONS.

Each Cordons—Single and double arm\_\_\_\_3-5' 2.50 22.50

Apples:-(on Paradise) Alexander, Baldwin, Chenango, Easly Harvest, Gravenstein, Jonathan, Northern Spy, Primate, Sweet Bough, Tompkins King, Wagner, Wealthy.

Pears: (on Quince) Angouleme, Anjou, Bartlett, Clapp's Favorite, Easter Beurre, Hardy Giffard, Howell, Josephine of Malines, Lawrence, Louise Bonne of Jersey, Superfin.

These peculiarly trained dwarf fruit trees, of which we have still a number to offer, are especially adapted to private places, where they surely will be a permanent source of interest, pleasure and profit. Year in year out they will repay diligent care by sure crops of fruits of extra large size and of a very superior quality. The main trunk of our about three-year-old plants is bent 18 inches above ground in "T" shape or with a few with one arm. Our trees are covered with fruit branches and are ready to bear next year. We are ready to give any desired cultural directions.


### Herbaceous Plants, Roots and Bulbs.

5 at 10 rates; 50 at 100 rates; 250 at 1000 rates. Descriptions will be found in our Catalogue of American Seeds.

|                                  | 10   | 100  | 1000  |
|----------------------------------|------|------|-------|
|                                  |      | 100  | 1000  |
| Aconitum fischeri                | .75  | 6.00 |       |
| Aletris farinosa                 | .50  | 1.50 | 12.00 |
| Unicorn Root.                    |      |      |       |
| Amsonia tabernaemontana          | .75  | 5.00 |       |
| Aplectrum hiemale                | 1.00 | 8.00 |       |
| Adam and Eve.                    |      |      |       |
| Arenaria diffusa                 | .75  | 5.00 | 30.00 |
| Sandwort.                        |      |      |       |
| Asarum virginicum                | .50  | 2.00 | 15.00 |
| Snakeroot.                       |      |      |       |
| Asclepias tuberosa               | .80  | 4.00 | 30.00 |
| Butterfly Weed.                  |      |      |       |
| Canna flaccida                   | .75  | 3.00 |       |
| Chimaphila maculata              | .75  | 3.00 | 25.00 |
| Prince's Pine.                   |      |      |       |
| Clitoria mariana                 | 1.00 | 5.00 | 30.00 |
| Butterfly Pea.                   |      |      |       |
| Cnicus repandus                  | .40  | 1.50 | 9.00  |
| Scotch Thistle.                  |      |      |       |
| Crinum americanum (strong bulbs) | 1.00 | 6.00 | 35.00 |
| Crotolaria sagittalis            | 1.00 | 4.00 |       |
| Rattlebox.                       |      |      |       |

|  | 10   | 100   | 1000  |
|--|------|-------|-------|
| Ctenium americanum   | 1.00 | 3.00  | 35.00 |
| Dicentra eximia  | .90  | 7.50  |       |
| Dionaea muscipula  | .75  | 3.50  | 25.00 |
| Drosera rotundifolia   | .50  | 2.00  | 15.00 |
| Epigaea repens   | .75  | 3.00  | 20.00 |
| Eriocaulon decangulare   | .80  | 3.00  | 20.00 |
| Eriophorum virginicum  | 1.00 | 4.00  | 30.00 |
| Erythronium americanum   | .35  | 1.50  | 10.00 |
| Galactia glabella  | .60  | 2.00  | 15.00 |
| Galax aphylla  | .75  | 3.00  |       |
|  | 1.00 | 5.00  |       |
| Gentiana angustifolia  | 2.00 | 0.00  |       |
| " saponaria<br>Soapwort.   | 1.00 | 5.00  |       |
| Gillenia stipulacea  | .50  | 3.00  |       |
| Habenaria blephariglottis  | .75  | 3.00  | 20.00 |
| " ciliaris   | .75  | 3.00  | 20.00 |
| Helleborus hybridus50c. each   |      |       |       |
| Helonias bullata   | .60  | 4.50  |       |
| Hepatica triloba   | .75  | 3.00  |       |
| Liverleaf. Heuchera americana  | .75  | 4.00  |       |
| $Alum\ Root.$  |      |       |       |
| Iris hexagona  | .75  | 3.00  |       |
| " pallida30c. each   | 2.50 |       |       |
| " verna  | .50  | 2.00  | 12.00 |
| " versicolor   | .75  | 2.50  |       |
| Jatropha stimulosa   | 1.00 | 4.00  |       |
| Stinging Nettle.   | 1.00 | 1.00  |       |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$  | .75  | 4.00  |       |
| $\begin{array}{c} \text{Mitchella repens} \\ \qquad \qquad Partridge \ \textit{Berry.} \ \ (\textit{clumps.}) \end{array}$ | .75  | 3.00  | 20.00 |
| Opuntia arborescens  | 1.50 | 12.00 |       |
| " vulgaris   | .50  | 2.00  | 10.00 |
| Orontium aquaticum   | .60  | 3.00  |       |
| Osmunda cinnamomea   | .75  | 3.00  | 15.00 |
| Passiflora incarnata   | .50  | 3.00  | 20.00 |
| Phlox subulata   | .50  | 3.00  | 20.00 |
| Polygala lutea   | .50  | 2.50  | 10.00 |
| Polypodium aureum  | .75  | 3.00  |       |
| " incanum  | .75  | 3.00  |       |
| Pyxidanthera barbulata   | 1.00 | 4.00  |       |

|   | 10   | 100                                     | 1000  |
|---|------|---|-------|
| Rhexia mariana  | .75  | 3.00                                    | 18.00 |
| Deer Grass.   | .50  | 2.50                                    | 15.00 |
| '' virginica<br>Meadow Beauty.  | .00  | 2,00                                    | 19.00 |
| Rhynchosia erecta   | .50  | 2.50                                    | 12.00 |
| " reniformis  |      | 2.50                                    | 12.00 |
| Sarracenia flava  | 1.00 | 4.00                                    | 25.00 |
| purpurea<br>Pitcher Plant.  | .75  | 3.00                                    | 15.00 |
| " variolaris<br>Spotted Trumpet Leaf.   | 1.00 | 4.00                                    | 25.00 |
| Schrankia angustata   | 1.00 | 4.00                                    |       |
| Silene virginica  | .75  | 3.00                                    |       |
| Sisyrrhinchium angustifolium  | .75  | 2.50                                    | 12.00 |
| Blue-eyed Grass. Stillingia sylvatica   | 1.00 | 4.00                                    |       |
| Queen's Delight.  Tephrosia virginica  Devil's Shoestring.                        | 1.00 | 4.00                                    | 25.00 |
| Tillandsia bracteata  | 1.00 | 8.00                                    |       |
| usheoides   | .50. | 2.00                                    |       |
| triculata   | 1.00 | 8.00                                    |       |
| Tradescantia rosea  |      | 3.00                                    | 20.00 |
| Rose Spiderwort.  |      | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |       |
| Viola pedata  | .75  | 3.00                                    | 16.00 |
| " primulaefolia   | .75  | 3.00                                    |       |
| Xvris brevitolia  |      | 3.00                                    | 20,00 |
| Yellow-eyed Grass.  |      |   |       |
| " caroliniana   | .60  | 2.00                                    | 12.00 |
| Yucca filamentosa (See page 6.)   | 7.00 | = 00                                    |       |
| Zygadenus glaberrimus   |      | 5.00                                    |       |
| Chrysanthemum Selected hardy forms from old gardens, mixed colors, large flowers. | 1.00 | 4.()()                                  |       |
| Poa arachnifera1.50 per 1,000 sets.   |      |   |       |
| 12.00 per 10.000 sets. Texas Blue Grass, highly valuable wintergreen grass.       |      |   |       |
| anie wintergreen grass.   |      |   |       |



PINEHURST VIOLET \_\_\_\_\_clumps 1.00 3.00 20.00

There is no better all-around useful violet. The flowers are very large, deep-purple and sweetly fragrant, on remarkably long stems. Very free bloomer; easily forced. The foliage is dark-green and very large. Try it for next season. We send single plants at

10 cents postpaid.

### Selection of a Few Desirable Books on

### GARDENING

WHICH WE SHALL BE PLEASED TO SUPPLY AT PUBLISH-ER'S PRICES, CARRIAGE PREPAID.

## The Cyclopædia of American Horti-

By L. H. Bailey, of Cornell University, assisted by Wilhelm Miller and many expert cultivators and botanists.

4 VOLUMES, WITH OVER 2000 ORIGINAL ENGRAVINGS.
VOLUMES 1 AND 2 READY.
PRICE PER VOLUME, CLOTH, \$5.00.

The book is sold only by subscription and orders will be accepted for the full set only.

#### OTHER WORKS BY PROF. BAILEY:

### The Horticulturist's Rule-Book.

4TH EDITION, 312 PAGES, 75 CENTS.

A compendium of useful information for fruit-growers, truck-gardeners, florists and others.

### The Nursery-Book.

3RD EDITION, 365 PAGES, \$1.00.

A complete guide to the multiplication of plants.

### Garden-Making.

3RD EDITION, 417 PAGES, \$1.00.

A compendium of knowledge for the owner of garden grounds of any size. It instructs, inspires and educates the reader.

### The Amateur's Practical Garden-Book.

250 PAGES, \$1.00.

A miniature cyclopædia in alphabetical arrangement. Just the book the busy man or woman wants to be successful in the care of their plants.

#### We take subscriptions for the following magazines:

AMERICAN GARDENING.—A weekly illustrated journal of horticulture and gardeners' chronicle. A record of current events in horticulture. Yearly subscription \$1.50, or \$2.00 for foreign countries.

MEEHAN'S MONTHLY.—Issued monthly, covers the whole field of horticulture in interesting and concise articles written by experts. Each issue contains a magnificent colored plate by Prang. Price \$2.00 per year, or \$2.50 for foreign countries.

All orders for subscriptions or books must be accomnamied by remittance.

# Prices for Large Quantities of Collected Shrubbery.

The sizes given below will be found especially adapted for extensive planting and for lining out in nursery rows. Other sizes can be furnished as well in large lots, and we solicit correspondence.

|                        |            | 5000   | 10000  |
|------------------------|------------|--------|--------|
| Acer rubrum            | _2-4′      | 30.00  | 50.00  |
| Andromeda mariana      | _1-3′      | 40.00  | 75.00  |
| " nitida               | _1-3′      | 40.00  | 75.00  |
| Cercis canadensis      | _1-2′      | 40.00  | 75.00  |
|                        | 2-4'       | 50.00  | 90.00  |
| Clethra alnifolia      | _2-3'      | 35.00  | 65.00  |
| Cornus florida         |            | 40.00  | 75.00  |
|                        | 3-5'       | 50.00  | 90.00  |
| Fothergilla alnifolia  | _2-3'      | 130.00 |        |
| Gelsemium sempervirens | _light     | 30.00  | 55.00  |
|                        | heavy      | 45.00  | 80.00  |
| Ilex coriacea          | 2-4'       | 50.00  | 90.00  |
| " glabra               | _1-3′      | 40.00  | 75.00  |
| "-opaca                | _1-3′      | 100.00 |        |
| " verticillata         | 2-4′       | 60.00  |        |
| Juniperus virginiana   | -6-12"     | 35.00  | 69.00  |
|                        | 1-3'       | 45.00  | 70.00  |
| Leucothoe catesbaei    | _2-4'      | 40.00  | 75.00  |
| Magnolia glauca        |            | 80.00  | 140.00 |
|                        | 3-5'       | 90.00  | 160.00 |
| Myrica cerifera        | _2-3'      | 40.00  | 75.00  |
| Oxydendrum arboreum    | 2-3'       | 50.00  | 90.00  |
|                        | 3-5'       | 60.00  | 100.00 |
| Sassafras officinale   |            | 35.00  | 60.00  |
| Smilax laurifolia      |            | 40.00  | 70.00  |
| " walteri              | _strong    | 40.00  | 70.00  |
| Tilia americana        |            | 25.00  | 40.00  |
|                        | 1-3'       | 30.00  | 50.00  |
| Viburnum nudum         | _2-4′      | 35.00  | 60.00  |
| Vinca major            | _clumps tr | 37.50  | 75.00  |
| " minor                | _clumps tr | 37.50  | 75.00  |
| Yucca filamentosa      | _light     | 40.00  | 70.00  |
|                        | heavy      | 75.00  | 125.00 |
| Xanthorrhiza apiifolia | -          | 35.00  | 60.00  |
|                        | heavy      | 45.00  | 80.00  |

## ABIES ARIZONICA, Merr. var. argentea, CORK FIR.

We are much gratified that we are allowed to bring out such a sterling novelty as this spruce, which surely will soon be acknowledged one of the choicest, if not the very finest of all conifers known to cultivation at present.

### THE BARK OF TRUNK AND BRANCHES OF THESE TREES IS OF A PURE WHITE OR SOMETIMES GRAYISH COLOR,

while the silvery foliage adds to the appearance in a striking way which cannot be surpassed. Mr. Purpus reported that the trees occur in fine development at an altitude of 11,000 ft., whence he had to leave rather hurriedly with his expedition in October on account of very severe snow-storms. This appears to be positive proof that this tree will show itself quite hardy under cultivation everywhere.

The full beauty of the creamy bark is best shown in trees of four feet height and upwards, but even the smallest seedling has the magnificent silvery foliage, which makes it an object of admiration.

Although we control the entire supply of these trees for the United States, we shall have but a limited number of transplanted specimens to offer in spring, 1901, ranging in size from nine to eighteen inches. For these we will book orders now at \$3.00 per tree, or \$27.50 per ten, and will ship from April until our available supply will be exhausted.

This CORK SPRUCE is evidently the tree of the future and to plant a number now will be found a good and safe investment.

We will gladly mail samples of the bark.